


TO:		ENGINEERING INSTRUCTION	
SUPERSEDED BY EB 96-014 EFFECTIVE 4/8/96		NEW YORK STATE DEPARTMENT OF TRANSPORTATION	
		SUBJECT: STANDARD PAY ITEMS FOR POLYMER COATED STEEL PIPES	
		Subject Code: 7.27-1-602	
Distribution:		34 & 154	Special
Main Office Regions			
APPROVED:		Code: <u>EI 87-8</u>	
 <u>M. TEGZA, Final Plan Review Bureau, Civil Engineer V</u>		Date: <u>2/12/87</u>	
		Supersedes:	

We are transmitting the attached list of Standard Pay Items for polymer coated steel pipes.



EI 87-7 issued the following:

A revised Figure 8A of the Highway Design Manual

Section 602-Polymer Coated Steel Pipes

Revisions to Section 702-02 Round Corrugated Steel Pipe and Pipe Arches

The new Section 602 adds eight new polymer coated steel pipes and pipe arches to our Standard Specifications. The attached list covers all of the allowable pay items for these pipes and pipe arches. The new pay items for polymer coated pipes and pipe arches may be used effective with the letting of August 6, 1987. However, it should be noted, that even though 10 gage polymer coated pipe is shown on the new Figure 8A, there are no pay items for these pipes and pipe arches. The reason is 10 gage polymer pipe is not commercially available at this time. We will add the appropriate pay items as soon as the coated 10 gage pipe is available.



ITEM NUMBER	ABBREVIATED UNIT OF PAYMENT	PIN NUMBER, DISAPPROVAL OR APPROVAL DATE	ABBREVIATED DESCRIPTION	FULL DESCRIPTION	LINE NO
602.050850	LF		CORR STEEL PIPE (2-2/3X1/2) 12 IN DIAM 18 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN X 1/2 IN) 12 INCH DIAMETER 18 GA. POL YMER COATED	1 2 3
602.0509	LF		CORR ST PIPE (2-2/3X1/2) 12 IN. DIAM., 16 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 12 INCH DIAMETER, 16 GA. POLYMER COATED	1 2 3
602.0510	LF		CORR ST PIPE (2-2/3X1/2) 12 IN. DIAM., 14 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 12 INCH DIAMETER, 14 GA. POLYMER COATED	1 2 3
602.051050	LF		CORR STEEL PIPE (2-2/3X1/2) 15 IN DIAM 18 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN CORRUGATIONS) 15 INCH DIAMETER 18 GA. POLYMER COATED	1 2 3
602.0511	LF		CORR ST PIPE (2-2/3X1/2) 15 IN. DIAM., 16 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 15 INCH DIAMETER, 16 GA. POLYMER COATED	1 2 3
602.0512	LF		CORR ST PIPE (2-2/3X1/2) 15 IN. DIAM., 14 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN X 1/2 IN CORRUGATIONS) 15 INCH DIAMETER, 14 GA. POLYMER COATED	1 2 3
602.051350	LF		CORR STEEL PIPE (2-2/3X1/2) 18 IN DIA 18 GA	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 18 INCH DIAMETER 18 GA. POLYMER COATED	1 2 3
602.0514	LF		CORR ST PIPE (2-2/3X1/2) 18 IN. DIAM., 16 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 18 INCH DIAMETER, 16 GA. POLYMER COATED	1 2 3
602.0515	LF		CORR ST PIPE (2-2/3X1/2) 18 IN. DIAM., 14 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 18 INCH DIAMETER, 14 GA. POLYMER COATED	1 2 3
602.0516	LF		CORR ST PIPE (2-2/3X1/2) 18 IN. DIAM., 12 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 18 INCH DIAMETER, 12 GA. POLYMER COATED	1 2 3
602.051650	LF		CORR STEEL PIPE (2-2/3X1/2) 21 IN DIA 18 GA	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 21 INCH DIAMETER 18 GA. POLYMER COATED	1 2 3
602.0517	LF		CORR ST PIPE (2-2/3X1/2) 21 IN. DIAM., 16 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 21 INCH DIAMETER, 16 GA. POLYMER COATED	1 2 3
602.0518	LF		CORR ST PIPE (2-2/3X1/2) 21 IN. DIAM., 14 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 21 INCH DIAMETER, 14 GA. POLYMER COATED	1 2 3

C O N T R O L R E P O R T

DATE 2/11/87

PAGE 2

HE71300

ITEM NUMBER	ABBREVIATED UNIT OF PAYMENT	PIN NUMBER, DISAPPROVAL OR APPROVAL DATE	ABBREVIATED DESCRIPTION	FULL DESCRIPTION	LINE NO
602.0519	LF		CORR ST PIPE (2-2/3X1/2) 21 IN. DIAM., 12 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 21 INCH DIAMETER, 12 GA. POLYMER COATED	1 2 3
602.051950	LF		CORR STEEL PIPE (2-2/3X1/2) 24 IN DIA 18 GA	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 24 INCH DIAMETER 18 GA. POLYMER COATED	1 2 3
602.0520	LF		CORR ST PIPE (2-2/3X1/2) 24 IN. DIAM., 16 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 24 INCH DIAMETER, 16 GA. POLYMER COATED	1 2 3
602.0521	LF		CORR ST PIPE (2-2/3X1/2) 24 IN. DIAM., 14 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 24 INCH DIAMETER, 14 GA. POLYMER COATED	1 2 3
602.0522	LF		CORR ST PIPE (2-2/3X1/2) 24 IN. DIAM., 12 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 24 INCH DIAMETER, 12 GA. POLYMER COATED	1 2 3
602.0524	LF		CORR ST PIPE (2-2/3X1/2) 30 IN. DIAM., 16 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 30 INCH DIAMETER, 16 GA. POLYMER COATED	1 2 3
602.0525	LF		CORR ST PIPE (2-2/3X1/2) 30 IN. DIAM., 14 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 30 INCH DIAMETER, 14 GA. POLYMER COATED	1 2 3
602.0526	LF		CORR ST PIPE (2-2/3X1/2) 30 IN. DIAM., 12 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 30 INCH DIAMETER, 12 GA. POLYMER COATED	1 2 3
602.0529	LF		CORR ST PIPE (2-2/3X1/2) 36 IN. DIAM., 16 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 36 INCH DIAMETER, 16 GA. POLYMER COATED	1 2 3
602.0530	LF		CORR ST PIPE (2-2/3X1/2) 36 IN. DIAM., 14 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 36 INCH DIAMETER, 14 GA. POLYMER COATED	1 2 3
602.0531	LF		CORR ST PIPE (2-2/3X1/2) 36 IN. DIAM., 12 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 36 INCH DIAMETER, 12 GA. POLYMER COATED	1 2 3
602.0534	LF		CORR ST PIPE (2-2/3X1/2) 42 IN. DIAM., 16 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 42 INCH DIAMETER, 16 GA. POLYMER COATED	1 2 3
602.0535	LF		CORR ST PIPE (2-2/3X1/2) 42 IN. DIAM., 14 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 42 INCH DIAMETER, 14 GA. POLYMER COATED	1 2

C O N T R O L R E P O R T
HE71300

DATE 2/11/87

PAGE 3

ITEM NUMBER	ABBREVIATED UNIT OF PAYMENT	PIN NUMBER, DISAPPROVAL OR APPROVAL DATE	ABBREVIATED DESCRIPTION	FULL DESCRIPTION	LINE NO
602.0536	LF		CORR ST PIPE (2-2/3X1/2) 42 IN. DIAM., 12 GA PLMR CTD	42 INCH DIAMETER, 14 GA. POLYMER COATED	3
602.0539	LF		CORR ST PIPE (2-2/3X1/2) 48 IN. DIAM., 16 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 42 INCH DIAMETER, 12 GA. POLYMER COATED	1 2 3
602.0540	LF		CORR ST PIPE (2-2/3X1/2) 48 IN. DIAM., 14 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 48 INCH DIAMETER, 16 GA. POLYMER COATED	1 2 3
602.0541	LF		CORR ST PIPE (2-2/3X1/2) 48 IN. DIAM., 12 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 48 INCH DIAMETER, 14 GA. POLYMER COATED	1 2 3
602.0545	LF		CORR ST PIPE (2-2/3X1/2) 54 IN. DIAM., 14 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 54 INCH DIAMETER, 12 GA. POLYMER COATED	1 2 3
602.0546	LF		CORR ST PIPE (2-2/3X1/2) 54 IN. DIAM., 12 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 54 INCH DIAMETER, 14 GA. POLYMER COATED	1 2 3
602.0551	LF		CORR ST PIPE (2-2/3X1/2) 60 IN. DIAM., 12 GA PLMR CTD	CORRUGATED STEEL PIPE (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 60 INCH DIAMETER, 12 GA. POLYMER COATED	1 2 3
602.060880	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2)12 IN. DIAM. 18 GA.	CORRUGATED STEEL PIPE. PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 12 INCH DIAMETER, 18 GAUGE	1 2 3 4
602.0609	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 12 IN. DIAM. 16 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 12 INCH DIAMETER, 16 GAUGE	1 2 3 4
602.0610	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 12 IN. DIAM. 14 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 12 INCH DIAMETER, 14 GAUGE	1 2 3 4
602.061080	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2)15 IN. DIAM. 18 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 15 INCH DIAMETER, 18 GAUGE	1 2 3 4
602.0611	LF		CORR. ST PIPE, PI POLYMER CTD	CORRUGATED STEEL PIPE,	1

C O N T R O L R E P O R T
HE71300

DATE 2/11/87

PAGE 4

ITEM NUMBER	ABBREVIATED UNIT OF PAYMENT	FIN NUMBER, DISAPPROVAL OR APPROVAL DATE	ABBREVIATED DESCRIPTION	FULL DESCRIPTION	LINE NO
602.0612	LF		(2-2/3X1/2) 15 IN.DIAM. 16 GA.	PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 15 INCH DIAMETER, 16 GAUGE	2 3 4
602.061380	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 15 IN.DIAM. 14 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 15 INCH DIAMETER, 14 GAUGE	1 2 3 4
602.0614	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 18 IN.DIAM. 16 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 18 INCH DIAMETER, 18 GAUGE	1 2 3 4
602.0615	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 18 IN.DIAM. 14 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 18 INCH DIAMETER, 14 GAUGE	1 2 3 4
602.0616	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 18 IN.DIAM. 12 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 18 INCH DIAMETER, 12 GAUGE	1 2 3 4
602.061680	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 21 IN.DIAM. 18 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 21 INCH DIAMETER, 18 GAUGE	1 2 3 4
602.0617	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 21 IN.DIAM. 16 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 21 INCH DIAMETER, 16 GAUGE	1 2 3 4
602.0618	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 21 IN.DIAM. 14 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 21 INCH DIAMETER, 14 GAUGE	1 2 3 4
602.0619	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 21 IN.DIAM. 12 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 21 INCH DIAMETER, 12 GAUGE	1 2 3 4
602.061980	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 24 IN.DIAM. 18 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 24 INCH DIAMETER, 18 GAUGE	1 2

C O N T R O L R E P O R T
HF71300

DATE 2/11/87

PAGE 5

ITEM NUMBER	ABBREVIATED UNIT OF PAYMENT	PIN NUMBER, DISAPPROVAL OR APPROVAL DATE	ABBREVIATED DESCRIPTION	FULL DESCRIPTION	LINE NO
602.0620	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 24 IN.DIAM. 16 GA.	(2-2/3 IN. X 1/2 IN. CORRUGATIONS) 24 INCH DIAMETER, 18 GAUGE	3 4
602.0621	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 24 IN.DIAM. 14 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 24 INCH DIAMETER, 16 GAUGE	1 2 3 4
602.0622	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 24 IN.DIAM. 12 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 24 INCH DIAMETER, 14 GAUGE	1 2 3 4
602.0624	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 30 IN.DIAM. 16 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 30 INCH DIAMETER, 12 GAUGE	1 2 3 4
602.0625	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 30 IN.DIAM. 14 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 30 INCH DIAMETER, 14 GAUGE	1 2 3 4
602.0626	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 30 IN.DIAM. 12 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 30 INCH DIAMETER, 12 GAUGE	1 2 3 4
602.0629	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 36 IN.DIAM. 16 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 36 INCH DIAMETER, 16 GAUGE	1 2 3 4
602.0630	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 36 IN.DIAM. 14 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 36 INCH DIAMETER, 14 GAUGE	1 2 3 4
602.0631	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 36 IN.DIAM. 12 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 36 INCH DIAMETER, 12 GAUGE	1 2 3 4
602.0634	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 42 IN.DIAM. 16 GA.	CORRUGATED STEEL PIPE, PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS) 42 INCH DIAMETER, 16 GAUGE	1 2 3

ITEM NUMBER	ABBREVIATED UNIT OF PAYMENT	PIN NUMBER, DISAPPROVAL OR APPROVAL DATE	ABBREVIATED DESCRIPTION	FULL DESCRIPTION	LINE NO
602.0635	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 42 IN.DIAM. 14 GA.	42 INCH DIAMETER, 16 GAUGE	4
				CORRUGATED STEEL PIPE.	1
				PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS)	2
				42 INCH DIAMETER, 14 GAUGE	3
					4
602.0636	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 42 IN.DIAM. 12 GA.	PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS)	1
				42 INCH DIAMETER, 12 GAUGE	2
					3
					4
602.0639	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 48 IN.DIAM. 16 GA.	CORRUGATED STEEL PIPE.	1
				PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS)	2
				48 INCH DIAMETER, 16 GAUGE	3
					4
602.0640	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 48 IN.DIAM. 14 GA.	CORRUGATED STEEL PIPE.	1
				PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS)	2
				48 INCH DIAMETER, 14 GAUGE	3
					4
602.0641	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 48 IN.DIAM. 12 GA.	CORRUGATED STEEL PIPE.	1
				PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS)	2
				48 INCH DIAMETER, 12 GAUGE	3
					4
602.0645	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 54 IN.DIAM. 14 GA.	CORRUGATED STEEL PIPE.	1
				PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS)	2
				54 INCH DIAMETER, 14 GAUGE	3
					4
602.0646	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 54 IN.DIAM. 12 GA.	CORRUGATED STEEL PIPE.	1
				PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS)	2
				54 INCH DIAMETER, 12 GAUGE	3
					4
602.0651	LF		CORR. ST PIPE, PI POLYMER CTD (2-2/3X1/2) 60 IN.DIAM. 12 GA.	CORRUGATED STEEL PIPE.	1
				PAVED INVERT - POLYMER COATED (2-2/3 IN. X 1/2 IN. CORRUGATIONS)	2
				60 INCH DIAMETER, 12 GAUGE	3
					4
602.0811	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 17 IN.SP 13 IN.R 15 IN.D 16 GA	CORRUGATED STEEL PIPE-ARCH. (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 17 INCH SPAN, 13 INCH RISE 15 INCH DIAMETER, 16 GAUGE	1
					2
					3
					4
602.0812	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 17 IN.SP 13 IN.R 15 IN.D 14 GA	CORRUGATED STEEL PIPE-ARCH. (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 17 INCH SPAN, 13 INCH RISE 15 INCH DIAMETER, 14 GAUGE	1
					2
					3
					4

C O N T R O L R E P O R T
HE71300

DATE 2/11/87

PAGE 7

ITEM NUMBER	ABBREVIATED UNIT OF PAYMENT	PIN NUMBER, DISAPPROVAL OR APPROVAL DATE	ABBREVIATED DESCRIPTION	FULL DESCRIPTION	LINE NO
602.0814	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 21 IN.SP 15 IN.R 18 IN.D 16 GA	CORRUGATED STEEL PIPE-ARCH, (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 21 INCH SPAN, 15 INCH RISE 18 INCH DIAMETER, 16 GAUGE	1 2 3 4
602.0815	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 21 IN.SP 15 IN.R 18 IN.D 14 GA	CORRUGATED STEEL PIPE-ARCH, (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 21 INCH SPAN, 15 INCH RISE 18 INCH DIAMETER, 14 GAUGE	1 2 3 4
602.0817	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 24 IN.SP 18 IN.R 21 IN.D 16 GA	CORRUGATED STEEL PIPE-ARCH, (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 24 INCH SPAN, 18 INCH RISE 21 INCH DIAMETER, 16 GAUGE	1 2 3 4
602.0818	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 24 IN.SP 18 IN.R 21 IN.D 14 GA	CORRUGATED STEEL PIPE-ARCH, (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 24 INCH SPAN, 18 INCH RISE 21 INCH DIAMETER, 14 GAUGE	1 2 3 4
602.0819	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 24 IN.SP 18 IN.R 21 IN.D 12 GA	CORRUGATED STEEL PIPE-ARCH, (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 24 INCH SPAN, 18 INCH RISE 21 INCH DIAMETER, 12 GAUGE	1 2 3 4
602.0820	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 28 IN.SP 20 IN.R 24 IN.D 16 GA	CORRUGATED STEEL PIPE-ARCH, (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 28 INCH SPAN, 20 INCH RISE 24 INCH DIAMETER, 16 GAUGE	1 2 3 4
602.0821	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 28 IN.SP 20 IN.R 24 IN.D 14 GA	CORRUGATED STEEL PIPE-ARCH, (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 28 INCH SPAN, 20 INCH RISE 24 INCH DIAMETER, 14 GAUGE	1 2 3 4
602.0822	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 28 IN.SP 20 IN.R 24 IN.D 12 GA	CORRUGATED STEEL PIPE-ARCH, (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 28 INCH SPAN, 20 INCH RISE 24 INCH DIAMETER, 12 GAUGE	1 2 3 4
602.0824	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 35 IN.SP 24 IN.R 30 IN.D 16 GA	CORRUGATED STEEL PIPE-ARCH, (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 35 INCH SPAN, 24 INCH RISE 30 INCH DIAMETER, 16 GAUGE	1 2 3 4
602.0825	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 35 IN.SP 24 IN.R 30 IN.D 14 GA	CORRUGATED STEEL PIPE-ARCH, (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 35 INCH SPAN, 24 INCH RISE 30 INCH DIAMETER, 14 GAUGE	1 2 3 4

C O N T R O L R E P O R T
HE71300

DATE 2/11/87

PAGE 8

ITEM NUMBER	ABBREVIATED UNIT OF PAYMENT	PIN NUMBER, DISAPPROVAL OR APPROVAL DATE	ABBREVIATED DESCRIPTION	FULL DESCRIPTION	LINE NO
602.0826	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 35 IN.SP 24 IN.R 30 IN.D 12 GA	CORRUGATED STEEL PIPE-ARCH, (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 35 INCH SPAN, 24 INCH RISE 30 INCH DIAMETER, 12 GAUGE	1 2 3 4
602.0829	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 42 IN.SP 29 IN.R 36 IN.D 16 GA	CORRUGATED STEEL PIPE-ARCH, (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 42 INCH SPAN, 29 INCH RISE 36 INCH DIAMETER, 16 GAUGE	1 2 3 4
602.0830	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 42 IN.SP 29 IN.R 36 IN.D 14 GA	CORRUGATED STEEL PIPE-ARCH, (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 42 INCH SPAN, 29 INCH RISE 36 INCH DIAMETER, 14 GAUGE	1 2 3 4
602.0831	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 42 IN.SP 29 IN.R 36 IN.D 12 GA	CORRUGATED STEEL PIPE-ARCH, (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 42 INCH SPAN, 29 INCH RISE 36 INCH DIAMETER, 12 GAUGE	1 2 3 4
602.0835	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 49 IN.SP 33 IN.R 42 IN.D 14 GA	CORRUGATED STEEL PIPE-ARCH (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 49 INCH SPAN, 33 INCH RISE 42 INCH DIAMETER, 14 GAUGE	1 2 3 4
602.0836	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 49 IN.SP 33 IN.R 42 IN.D 12 GA	CORRUGATED STEEL PIPE-ARCH, (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 49 INCH SPAN, 33 INCH RISE 42 INCH DIAMETER, 12 GAUGE	1 2 3 4
602.0841	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 57 IN.SP 38 IN.R 48 IN.D 12 GA	CORRUGATED STEEL PIPE-ARCH, (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 57 INCH SPAN, 38 INCH RISE 48 INCH DIAMETER, 12 GAUGE	1 2 3 4
602.0846	LF		CR ST PIPE-AR (2-2/3X1/2)PL CT 64 IN.SP 43 IN.R 54 IN.D 12 GA	CORRUGATED STEEL PIPE-ARCH, (2-2/3 IN. X 1/2 IN. COR)POLYMER COATED 64 INCH SPAN, 43 INCH RISE 54 INCH DIAMETER, 12 GAUGE	1 2 3 4
602.0911	LF		CORR ST P-ARCH PI (2-2/3X1/2) PLM CTD 16 GA 17 IN.SP 13 IN.R	CORRUGATED STEEL PIPE-ARCH PAVED INVERT, 15 INCH DIAMETER, 16 GAUGE (2-2/3 IN. X 1/2 IN. COR) POLYMER COATED 17 INCH SPAN, 13 INCH RISE	1 2 3 4
602.0912	LF		CORR ST P-ARCH PI (2-2/3X1/2) PLM CTD 14 GA 17 IN.SP 13 IN.R	CORRUGATED STEEL PIPE-ARCH PAVED INVERT, 15 INCH DIAMETER, 14 GAUGE (2-2/3 IN. X 1/2 IN. COR) POLYMER COATED 17 INCH SPAN, 13 INCH RISE	1 2 3 4
602.0913	LF		CORR ST P-ARCH PI (2-2/3X1/2)	CORRUGATED STEEL PIPE-ARCH	1

ITEM NUMBER	ABBREVIATED UNIT OF PAYMENT	PIN NUMBER, DISAPPROVAL OR APPROVAL DATE	ABBREVIATED DESCRIPTION	FULL DESCRIPTION	LINE NO
602.0915	LF		PLM CTD 16 GA 21 IN.SP 15 IN.R	PAVED INVERT, 18 INCH DIAMETER, 16 GAUGE (2-2/3 IN. X 1/2 IN. COR) POLYMER COATED 21 INCH SPAN, 15 INCH RISE	2 3 4
602.0917	LF		CORR ST P-ARCH, PI (2-2/3X1/2) PLM CTD 14 GA 21 IN.SP 15 IN.R	CORRUGATED STEEL PIPE-ARCH PAVED INVERT, 18 INCH DIAMETER, 14 GAUGE (2-2/3 IN. X 1/2 IN. COR) POLYMER COATED 21 INCH SPAN, 15 INCH RISE	1 2 3 4
602.0918	LF		CORR ST P-ARCH PI, (2-2/3X1/2) PLM CTD 16 GA 24 IN.SP 18 IN.R	CORRUGATED STEEL PIPE-ARCH PAVED INVERT, 21 INCH DIAMETER, 16 GAUGE (2-2/3 IN. X 1/2 IN. CRS) POLYMER COATED 24 INCH SPAN, 18 INCH RISE	1 2 3 4
602.0919	LF		CORR ST P-ARCH PI, (2-2/3X1/2) PLM CTD 14 GA 24 IN.SP 18 IN.R	CORRUGATED STEEL PIPE-ARCH PAVED INVERT, 21 INCH DIAMETER, 14 GAUGE (2-2/3 IN. X 1/2 IN. CRS) POLYMER COATED 24 INCH SPAN, 18 INCH RISE	1 2 3 4
602.0920	LF		CORR ST P-ARCH PI (2-2/3X1/2) PLM CTD 16 GA 28 IN.SP 20 IN.R	CORRUGATED STEEL PIPE-ARCH PAVED INVERT, 21 INCH DIAMETER, 12 GAUGE (2-2/3 IN. X 1/2 IN. COR) POLYMER COATED 24 INCH SPAN, 18 INCH RISE	1 2 3 4
602.0921	LF		CORR ST P-ARCH PI (2-2/3X1/2) PLM CTD 14 GA 28 IN.SP 20 IN.R	CORRUGATED STEEL PIPE-ARCH PAVED INVERT, 24 INCH DIAMETER, 14 GAUGE (2-2/3 IN. X 1/2 IN. COR) POLYMER COATED 28 INCH SPAN, 20 INCH RISE	1 2 3 4
602.0922	LF		CORR ST P-ARCH PI, (2-2/3X1/2) PLM CTD 12 GA 28 IN.SP 20 IN.R	CORRUGATED STEEL PIPE-ARCH PAVED INVERT, 24 INCH DIAMETER, 12 GAUGE (2-2/3 IN. X 1/2 IN. CRS) POLYMER COATED 28 INCH SPAN, 20 INCH RISE	1 2 3 4
602.0924	LF		CORR ST P-ARCH PI, (2-2/3X1/2) PLM CTD 16 GA 35 IN.SP 24 IN.R	CORRUGATED STEEL PIPE-ARCH PAVED INVERT, 30 INCH DIAMETER, 16 GAUGE (2-2/3 IN. X 1/2 IN. CRS) POLYMER COATED 35 INCH SPAN, 24 INCH RISE	1 2 3 4
602.0925	LF		CORR ST P-ARCH PI (2-2/3X1/2) PLM CTD 14 GA 35 IN.SP 24 IN.R	CORRUGATED STEEL PIPE-ARCH PAVED INVERT, 30 INCH DIAMETER, 14 GAUGE (2-2/3 IN. X 1/2 IN. COR) POLYMER COATED 35 INCH SPAN, 24 INCH RISE	1 2 3 4
602.0926	LF		CORR ST P-ARCH PI (2-2/3X1/2) PLM CTD 12 GA 35 IN.SP 24 IN.R	CORRUGATED STEEL PIPE-ARCH PAVED INVERT, 30 INCH DIAMETER, 12 GAUGE (2-2/3 IN. X 1/2 IN. COR) POLYMER COATED 35 INCH SPAN, 24 INCH RISE	1 2

ITEM NUMBER	ABBREVIATED UNIT OF PAYMENT	PIN NUMBER, DISAPPROVAL OR APPROVAL DATE	ABBREVIATED DESCRIPTION	FULL DESCRIPTION	LINE NO
602.0929	LF		CORR ST P-ARCH PI, (2-2/3X1/2) PLM CTD 16 GA 42 IN.SP 29 IN.R	(2-2/3 IN. X 1/2 IN. COR) POLYMER COATED 35 INCH SPAN, 24 INCH RISE	3 4
602.0930	LF		CORR ST P-ARCH PI, (2-2/3X1/2) PLM CTD 14 GA 42 IN.SP 29 IN.R	CORRUGATED STEEL PIPE -ARCH PAVED INVERT, 36 INCH DIAMETER, 16 GAUGE (2-2/3 IN. X 1/2 IN. CRS) POLYMER COATED 42 INCH SPAN, 29 INCH RISE	1 2 3 4
602.0931	LF		CORR ST P-ARCH PI, (2-2/3X1/2) PLM CTD 12 GA 42 IN.SP 29 IN.R	CORRUGATED STEEL PIPE -ARCH PAVED INVERT, 36 INCH DIAMETER, 14 GAUGE (2-2/3 IN. X 1/2 IN. CRS) POLYMER COATED 42 INCH SPAN, 29 INCH RISE	1 2 3 4
602.0935	LF		CORR ST P-ARCH PI, (2-2/3X1/2) PLM CTD 14 GA 49 IN.SP 33 IN.R	CORRUGATED STEEL PIPE -ARCH PAVED INVERT, 42 INCH DIAMETER, 14 GAUGE (2-2/3 IN. X 1/2 IN. CRS) POLYMER COATED 49 INCH SPAN, 33 INCH RISE	1 2 3 4
602.0936	LF		CORR ST P-ARCH PI, (2-2/3X1/2) PLM CTD 12 GA 49 IN.SP 33 IN.R	CORRUGATED STEEL PIPE -ARCH PAVED INVERT, 42 INCH DIAMETER, 12 GAUGE (2-2/3 IN. X 1/2 IN. CRS) POLYMER COATED 49 INCH SPAN, 33 INCH RISE	1 2 3 4
602.0941	LF		CORR ST P-ARCH PI (2-2/3X1/2) PLM CTD 12 GA 57 IN.SP 38 IN.R	CORRUGATED STEEL PIPE -ARCH PAVED INVERT, 48 INCH DIAMETER, 12 GAUGE (2-2/3 IN. X 1/2 IN. COR) POLYMER COATED 57 INCH SPAN, 38 INCH RISE	1 2 3 4
602.0946	LF		CORR ST P-ARCH PI (2-2/3X1/2) PLM CTD 12 GA 64 IN.SP 43 IN.R	CORRUGATED STEEL PIPE -ARCH PAVED INVERT, 54 INCH DIAMETER, 12 GAUGE (2-2/3 IN. X 1/2 IN. COR) POLYMER COATED 64 INCH SPAN, 43 INCH RISE	1 2 3 4
602.1144	LF		COR ST PIPE (3X1/5X1) 54"D 16G POLYMER COATED	CORRUGATED STEEL PIPE. (3"X1" OR 5"X1" COR) POLYMER COATED 54 INCH DIAMETER, 16 GAUGE	1 2 3
602.1145	LF		COR ST PIPE (3X1/5X1) 54"D 14G POLYMER COATED	CORRUGATED STEEL PIPE. (3"X1" OR 5"X1" COR) POLYMER COATED 54 INCH DIAMETER, 14 GAUGE	1 2 3
602.1146	LF		COR ST PIPE (3X1/5X1) 54"D 12G POLYMER COATED	CORRUGATED STEEL PIPE. (3"X1" OR 5"X1" COR) POLYMER COATED 54 INCH DIAMETER, 12 GAUGE	1 2 3
602.114	LF		COR ST PIPE (3X1/5X1) 54"D 16G	CORRUGATED STEEL PIPE.	1

C O N T R O L R E P O R T
HE71300

DATE 2/11/87

PAGE 11

ITEM NUMBER	ABBREVIATED UNIT OF PAYMENT	PIN NUMBER, DISAPPROVAL OR APPROVAL DATE	ABBREVIATED DESCRIPTION	FULL DESCRIPTION	LINE NO.
602.1150	LF		POLYMER COATED COR ST PIPE (3X1/5X1) 60"D 14G	(3"X1" OR 5"X1" COR) POLYMER COATED 60 INCH DIAMETER, 16 GAUGE	2 3
602.1151	LF		POLYMER COATED COR ST PIPE (3X1/5X1) 60"D 12G	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 60 INCH DIAMETER, 14 GAUGE	1 2 3
602.1154	LF		POLYMER COATED COR ST PIPE (3X1/5X1) 66"D 16G	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 60 INCH DIAMETER, 12 GAUGE	1 2 3
602.1155	LF		POLYMER COATED COR ST PIPE (3X1/5X1) 66"D 14G	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 66 INCH DIAMETER, 16 GAUGE	1 2 3
602.1156	LF		POLYMER COATED COR ST PIPE (3X1/5X1) 66"D 12G	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 66 INCH DIAMETER, 14 GAUGE	1 2 3
602.1159	LF		POLYMER COATED COR ST PIPE (3X1/5X1) 72"D 16G	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 72 INCH DIAMETER, 16 GAUGE	1 2 3
602.1160	LF		POLYMER COATED COR ST PIPE (3X1/5X1) 72"D 14G	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 72 INCH DIAMETER, 14 GAUGE	1 2 3
602.1161	LF		POLYMER COATED COR ST PIPE (3X1/5X1) 72"D 12G	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 72 INCH DIAMETER, 12 GAUGE	1 2 3
602.1164	LF		POLYMER COATED COR ST PIPE (3X1/5X1) 78"D 16G	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 78 INCH DIAMETER, 16 GAUGE	1 2 3
602.1165	LF		POLYMER COATED COR ST PIPE (3X1/5X1) 78"D 14G	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 78 INCH DIAMETER, 14 GAUGE	1 2 3
602.1166	LF		POLYMER COATED COR ST PIPE (3X1/5X1) 78"D 12G	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 78 INCH DIAMETER, 12 GAUGE	1 2 3
602.1169	LF		POLYMER COATED COR ST PIPE (3X1/5X1) 84"D 16G	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 84 INCH DIAMETER, 16 GAUGE	1 2 3

C O N T R O L R E P O R T
HE71300

DATE 2/11/87

PAGE 12

ITEM NUMBER	ABBREVIATED UNIT OF PAYMENT	PIN NUMBER, DISAPPROVAL OR APPROVAL DATE	ABBREVIATED DESCRIPTION	FULL DESCRIPTION	LINE NO
602.1170	LF		COR ST PIPE (3X1/5X1) 84"D 14G POLYMER COATED	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 84 INCH DIAMETER, 14 GAUGE	1 2 3
602.1171	LF		COR ST PIPE (3X1/5X1) 84"D 12G POLYMER COATED	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 84 INCH DIAMETER, 12 GAUGE	1 2 3
602.1174	LF		COR ST PIPE (3X1/5X1) 90"D 16G POLYMER COATED	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 90 INCH DIAMETER, 16 GAUGE	1 2 3
602.1175	LF		COR ST PIPE (3X1/5X1) 90"D 14G POLYMER COATED	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 90 INCH DIAMETER, 14 GAUGE	1 2 3
602.1176	LF		COR ST PIPE (3X1/5X1) 90"D 12G POLYMER COATED	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 90 INCH DIAMETER, 12 GAUGE	1 2 3
602.1180	LF		COR ST PIPE (3X1/5X1) 96"D 14G POLYMER COATED	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 96 INCH DIAMETER, 14 GAUGE	1 2 3
602.1181	LF		COR ST PIPE (3X1/5X1) 96"D 12G POLYMER COATED	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 96 INCH DIAMETER, 12 GAUGE	1 2 3
602.1185	LF		COR ST PIPE (3X1) OR (5X1) 102 IN. DIAM 14 GA PLMR CTD	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 102 INCH DIAMETER, 14 GAUGE	1 2 3
602.1186	LF		COR ST PIPE (3X1) OR (5X1) 102 IN. DIAM 12 GA PLMR CTD	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 102 INCH DIAMETER, 12 GAUGE	1 2 3
602.1190	LF		COR ST PIPE (3X1) OR (5X1) 108 IN. DIAM 12 GA PLMR CTD	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 108 INCH DIAMETER, 12 GAUGE	1 2 3
602.1194	LF		COR ST PIPE (3X1) OR (5X1) 114 IN. DIAM 12 GA PLMR CTD	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 114 INCH DIAMETER, 12 GAUGE	1 2 3
602.1197	LF		COR ST PIPE (3X1) OR (5X1) 120 IN. DIAM 12 GA PLMR CTD	CORRUGATED STEEL PIPE, (3"X1" OR 5"X1" COR) POLYMER COATED 120 INCH DIAMETER, 12 GAUGE	1 2 3
602.1244	LF		COR ST PIPE PI (3X1/5X1) PL CT 54 IN. DIAMETER, 16 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 54 INCH DIAMETER, 16 GA. POLYMER COATED	1 2 3

C O N T R O L R E P O R T
HE71300

DATE 2/11/87

PAGE 13

ITEM NUMBER	ABBREVIATED UNIT OF PAYMENT	PIN NUMBER, DISAPPROVAL OR APPROVAL DATE	ABBREVIATED DESCRIPTION	FULL DESCRIPTION	LINE NO
602.1245	LF		COR ST PIPE PI (3X1/5X1) PL CT 54 IN. DIAMETER, 14 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 54 INCH DIAMETER, 14 GA. POLYMER COATED	1 2 3
602.1246	LF		COR ST PIPE PI (3X1/5X1) PL CT 54 IN. DIAMETER, 12 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 54 INCH DIAMETER, 12 GA. POLYMER COATED	1 2 3
602.1249	LF		COR ST PIPE PI (3X1/5X1) PL CT 60 IN. DIAMETER, 16 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 60 INCH DIAMETER, 16 GA. POLYMER COATED	1 2 3
602.1250	LF		COR ST PIPE PI (3X1/5X1) PL CT 60 IN. DIAMETER, 14 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 60 INCH DIAMETER, 14 GA. POLYMER COATED	1 2 3
602.1251	LF		COR ST PIPE PI (3X1/5X1) PL CT 60 IN. DIAMETER, 12 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 60 INCH DIAMETER, 12 GA. POLYMER COATED	1 2 3
602.1254	LF		COR ST PIPE PI (3X1/5X1) PL CT 66 IN. DIAMETER, 16 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 66 INCH DIAMETER, 16 GA. POLYMER COATED	1 2 3
602.1255	LF		COR ST PIPE PI (3X1/5X1) PL CT 66 IN. DIAMETER, 14 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 66 INCH DIAMETER, 14 GA. POLYMER COATED	1 2 3
602.1256	LF		COR ST PIPE PI (3X1/5X1) PL CT 66 IN. DIAMETER, 12 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 66 INCH DIAMETER, 12 GA. POLYMER COATED	1 2 3
602.1259	LF		COR ST PIPE PI (3X1/5X1) PL CT 72 IN. DIAMETER, 16 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 72 INCH DIAMETER, 16 GA. POLYMER COATED	1 2 3
602.1260	LF		COR ST PIPE PI (3X1/5X1) PL CT 72 IN. DIAMETER, 14 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 72 INCH DIAMETER, 14 GA. POLYMER COATED	1 2 3
602.1261	LF		COR ST PIPE PI (3X1/5X1) PL CT 72 IN. DIAMETER, 12 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 72 INCH DIAMETER, 12 GA. POLYMER COATED	1 2 3
602.1264	LF		COR ST PIPE PI (3X1/5X1) PL CT 78 IN. DIAMETER, 16 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 78 INCH DIAMETER, 16 GA. POLYMER COATED	1 2 3
602.1265	LF		COR ST PIPE PI (3X1/5X1) PL CT 78 IN. DIAMETER, 14 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 78 INCH DIAMETER, 14 GA. POLYMER COATED	1 2

C O N T R O L R E P O R T
HE71300

DATE 2/11/87

PAGE 14

ITEM NUMBER	ABBREVIATED UNIT OF PAYMENT	PIN NUMBER, DISAPPROVAL OR APPROVAL DATE	ABBREVIATED DESCRIPTION	FULL DESCRIPTION	LTNE NO
602.1266	LF		COR ST PIPE PI (3X1/5X1) PL CT 78 IN. DIAMETER, 12 GAUGE	78 INCH DIAMETER, 14 GA. POLYMER COATED CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 78 INCH DIAMETER, 12 GA. POLYMER COATED	3 1 2 3
602.1269	LF		COR ST PIPE PI (3X1/5X1) PL CT 84 IN. DIAMETER, 16 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 84 INCH DIAMETER, 16 GA. POLYMER COATED	1 2 3
602.1270	LF		COR ST PIPE PI (3X1/5X1) PL CT 84 IN. DIAMETER, 14 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 84 INCH DIAMETER, 14 GA. POLYMER COATED	1 2 3
602.1271	LF		COR ST PIPE PI (3X1/5X1) PL CT 84 IN. DIAMETER, 12 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 84 INCH DIAMETER, 12 GA. POLYMER COATED	1 2 3
602.1274	LF		COR ST PIPE PI (3X1/5X1) PL CT 90 IN. DIAMETER, 16 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 90 INCH DIAMETER, 16 GA. POLYMER COATED	1 2 3
602.1275	LF		COR ST PIPE PI (3X1/5X1) PL CT 90 IN. DIAMETER, 14 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 90 INCH DIAMETER, 14 GA. POLYMER COATED	1 2 3
602.1276	LF		COR ST PIPE PI (3X1/5X1) PL CT 90 IN. DIAMETER, 12 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 90 INCH DIAMETER, 12 GA. POLYMER COATED	1 2 3
602.1280	LF		COR ST PIPE PI (3X1/5X1) PL CT 96 IN. DIAMETER, 14 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 96 INCH DIAMETER, 14 GA. POLYMER COATED	1 2 3
602.1281	LF		COR ST PIPE PI (3X1/5X1) PL CT 96 IN. DIAMETER, 12 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 96 INCH DIAMETER, 12 GA. POLYMER COATED	1 2 3
602.1285	LF		COR ST PIPE PI (3X1/5X1) PL CT 102 IN. DIAMETER, 14 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 102 INCH DIAMETER, 14 GA. POLYMER COATED	1 2 3
602.1286	LF		COR ST PIPE PI (3X1/5X1) PL CT 102 IN. DIAMETER, 12 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 102 INCH DIAMETER, 12 GA. POLYMER COATED	1 2 3
602.1290	LF		COR ST PIPE PI (3X1/5X1) PL CT 108 IN. DIAMETER, 12 GAUGE	CORRUGATED STEEL PIPE, PAVED INV (3"X1" OR 5"X1" CORRUGATIONS) 108 INCH DIAMETER, 12 GA. POLYMER COATED	1 2 3
602.1291	LF		COR ST PIPE PI (3X1/5X1) PL CT	CORRUGATED STEEL PIPE,	1

C O N T R O L R E P O R T
HE71300

DATE 2/11/87

PAGE 15

ITEM NUMBER	ABBREVIATED UNIT OF PAYMENT	PIN NUMBER, DISAPPROVAL OR APPROVAL DATE	ABBREVIATED DESCRIPTION	FULL DESCRIPTION	LINE NO
602.1297	LF		114 IN. DIAMETER, 12 GAUGE	PAVED INV (3"x1" OR 5"x1" CORRUGATIONS) 114 INCH DIAMETER, 12 GA. POLYMER COATED	2 3
602.1442	LF		COR ST PIPE PI (3X1/5X1) PL CT 120 IN. DIAMETER, 12 GAUGE	CORRUGATED STEEL PIPE. PAVED INV (3"x1" OR 5"x1" CORRUGATIONS) 120 INCH DIAMETER, 12 GA. POLYMER COATED	1 2 3
602.1447	LF		COR ST PI AR (3X1/5X1) 60 IN S 46IN RI 54IN DIA 12 GA PL CTD	CORRUGATED STEEL PIPE - ARCH (3X1 OR 5X1 CORR) 60 INCH SPAN, 46 INCH RISE, 54 INCH DIA., 12 GA POLYMER COATED	1 2 3
602.1452	LF		COR ST PI AR (3X1/5X1) 66 IN S 51IN RI 60IN DIA 12 GA PL CTD	CORRUGATED STEEL PIPE - ARCH (3X1 OR 5X1 CORR) 66 INCH SPAN, 51 INCH RISE, 60 INCH DIA., 12 GA POLYMER COATED	1 2 3
602.1457	LF		COR ST PI AR (3X1/5X1) 73 IN S 55IN RI 66IN DIA 12 GA PL CTD	CORRUGATED STEEL PIPE - ARCH (3X1 OR 5X1 CORR) 73 INCH SPAN, 55 INCH RISE, 66 INCH DIA., 12 GA POLYMER COATED	1 2 3
602.1462	LF		COR ST PI AR (3X1/5X1) 7F-9I S 4F-11I RI 72IDIA 12 GA PL CT	CORRUGATED STEEL PIPE - ARCH (3X1 OR 5X1 CORR) 6 FOOT-9 INCH SPAN, 4 FOOT-11 INCH RISE, 72 INCH DIAMETER, 12 GAUGE POLYMER COATED	1 2 3 4
602.1467	LF		COR ST AR (3X1/5X1) 7F-11I SP 5F-7I RI 84" DIA 12 GA PL CT	CORRUGATED STEEL PIPE - ARCH (3X1 OR 5X1 CORR) 7 FOOT-3 INCH SPAN, 5 FOOT-7 INCH RISE, 78 INCH DIAMETER, 12 GAUGE POLYMER COATED	1 2 3 4
602.1472	LF		COR ST AR (3X1/5X1) 8F-7I SP 5F-11I RI 90" DIA 12 GA PL CT	CORRUGATED STEEL PIPE - ARCH (3X1 OR 5X1 CORR) 7 FOOT-11 INCH SPAN, 5 FOOT-7 INCH RISE, 84 INCH DIAMETER, 12 GAUGE POLYMER COATED	1 2 3 4
602.1477	LF		COR ST AR (3X1/5X1) 9F-4I SP 6F-3I RI 96" DIA 12 GA PL CT	CORRUGATED STEEL PIPE - ARCH (3X1 OR 5X1 CORR) 8 FOOT-7 INCH SPAN, 5 FOOT-11 INCH RISE, 84 INCH DIAMETER, 12 GAUGE POLYMER COATED	1 2 3 4
602.1482	LF		COR ST AR (3X1/5X1) 9F-9I SP 6F-7I RI 102" DIA 12 GA PL CT	CORRUGATED STEEL PIPE - ARCH (3X1 OR 5X1 CORR) 9 FOOT-9 INCH SPAN, 6 FOOT-7 INCH RISE, 84 INCH DIAMETER, 12 GAUGE POLYMER COATED	1 2 3 4
602.1542	LF		COR ST P-AR (3X1/5X1) PI PL CT 60I SP 46I RI 54I DIA 12 GA	CORRUGATED STEEL PIPE-ARCH (3X1 OR 5X1 CORR) PAVED INVERT, 60 INCH	1 2

C O N T R O L R E P O R T
HE71300

DATE 2/11/87

PAGE 16

ITEM NUMBER	ABBREVIATED UNIT OF PAYMENT	PIN NUMBER, DISAPPROVAL OR APPROVAL DATE	ABBREVIATED DESCRIPTION	FULL DESCRIPTION	LINE NO
602.1547	LF		COR ST P-AR (3X1/5X1) PI PL CT 66I SP 51I RI 60I DIA 12 GA	SPAN, 46 INCH RISE, 54 INCH DIAMETER, 12 GAUGE POLYMER COATED	3 4
602.1552	LF		COR ST P-AR (3X1/5X1) PI PL CT 73I SP 55I RI 66I DIA 12 GA	CORRUGATED STEEL PIPE-ARCH (3X1 OR 5X1 CORR) PAVED INVERT, 66 INCH SPAN, 51 INCH RISE, 60 INCH DIAMETER, 12 GAUGE POLYMER COATED	1 2 3 4
602.1557	LF		COR ST P-AR (3X1/5X1) PI PL CT 6F-9I SP 4F-11I RI 72I D 12 G	CORRUGATED STEEL PIPE-ARCH (3X1 OR 5X1 CORR) PAVED INVERT, 73 INCH SPAN, 55 INCH RISE, 66 INCH DIAMETER, 12 GAUGE POLYMER COATED	1 2 3 4
602.1562	LF		COR ST P-AR (3X1/5X1) PI PL CT 7F-3I SP 5F-3I RI 78I D 12 G	CORRUGATED STEEL PIPE-ARCH (3X1 OR 5X1 CORR) PAVED INVERT, 6 FOOT -9 INCH SPAN, 4 FOOT-11 INCH RISE, 72 INCH DIAMETER, 12 GAUGE POLYMER COATED	1 2 3 4
602.1567	LF		COR ST P-AR (3X1/5X1) PI PL CT 7F-11I SP 5F-7I RI 84ID 12 G	CORRUGATED STEEL PIPE-ARCH (3X1 OR 5X1 CORR) PAVED INVERT, 7 FOOT - 3 INCH SPAN, 5 FOOT-3 INCH RISE, 78 INCH DIAMETER, 12 GAUGE POLYMER COATED	1 2 3 4
602.1572	LF		COR ST P-AR (3X1/5X1) PI PL CT 8F-7I SP 5F-11I RI 90ID 12 G	CORRUGATED STEEL PIPE-ARCH (3X1 OR 5X1 CORR) PAVED INVERT, 7 FOOT -11 INCH SPAN, 5 FOOT-7 INCH RISE, 84 INCH DIAMETER, 12 GAUGE POLYMER COATED	1 2 3 4
602.1577	LF		COR ST P-AR (3X1/5X1) PI PL CT 9F-4I SP 6F-3I RI 96ID 12 G	CORRUGATED STEEL PIPE-ARCH (3X1 OR 5X1 CORR) PAVED INVERT, 8 FOOT -7 INCH SPAN, 5 FOOT-11 INCH RISE, 90 INCH DIAMETER, 12 GAUGE POLYMER COATED	1 2 3 4
602.1582	LF		COR ST P-AR (3X1/5X1) PI PL CT 9F-9I SP 6F-7I RI 102D 12 G	CORRUGATED STEEL PIPE-ARCH (3X1 OR 5X1 CORR) PAVED INVERT, 9 FOOT - 4 INCH SPAN, 6 FOOT- 3 INCH RISE, 96 INCH DIAMETER, 12 GAUGE POLYMER COATED	1 2 3 4
				CORRUGATED STEEL PIPE-ARCH (3X1 OR 5X1 CORR) PAVED INVERT, 9 FOOT - 9 INCH SPAN, 6 FOOT- 7 INCH RISE, 102 INCH DIAMETER, 12 GAUGE POLYMER COATED	1 2 3 4