

Manual	Code	Date	Page
	7.26-2	12/20/91	2
Subject: VERTICAL CLEARANCE OVER THE NEW YORK STATE THRUWAY, I-190 AND I-90 AND REVISED 16' CLEARANCE NETWORK			

Agreement to this proposal has resulted in revised east-west routings through the state for oversized vehicles, consisting of State Route 17 from the Pennsylvania state line east to I-81, I-81 from Route 17 north to I-88, I-88 east to I-90 (Thruway Exit 25A) and I-90 east to I-87 (Northway) in Albany (Thruway Exit 24); and State Route 17 from the Pennsylvania state line east to I-81, I-81 south to I-380 in the Scranton, Pennsylvania area, I-380 to I-84 and I-84 east to the Connecticut state line.

In accepting the proposal FHWA also agreed to exempt from the 16 ft. clearance requirement those portions of the Thruway and other portions of Interstate which were eliminated from the 16 ft. clearance routings. The specific highway segments exempted from the 16 ft. clearance requirements are:

- I-90 from the Pennsylvania State line east to I-88 (Thwy. Exit 25A) in the Capital District;
- I-90 from I-87 Northway (Thwy. Exit 24) east to the Massachusetts State line;
- I-87 from Route 300 (Thwy. Exit 17; I-84), north to I-87, Northway (Thwy. Exit 24); and
- I-190 in the Buffalo-Niagara Falls area.

However, because of existing regulations, FHWA cannot issue a blanket exception for bridges on these highway segments and justification for the retention of substandard clearance must be submitted to FHWA for each individual structure. Since the justification would be the same for each of these bridges, FHWA has agreed to accept a justification to retain clearances not less than 14 ft. based on the fact these structures are located on those portions of highways eliminated from the 16 ft. clearance network as long as the existing clearance is not being diminished. The list of the bridges is attached and is made part of this EI.

When the project involves one of the listed bridges whose clearance is 14 ft. or greater but less than 16 ft. and the existing clearance is not being diminished, the Region will inform either the Design Quality Assurance Bureau or the Structures Division, as appropriate, that the bridge is included on this listing and request that they obtain FHWA's concurrence to retain the existing clearance.

Manual	Code 7.26-2	Date 12/20/91	Page 3
Subject: VERTICAL CLEARANCE OVER THE NEW YORK STATE THRUWAY, I-190 AND I-90 AND REVISED 16' CLEARANCE NETWORK			

The Design Quality Assurance Bureau or the Structures Division will request approval to retain the existing vertical clearance by submitting the following form justification to FHWA:

The structure carrying.....over....., BIN.....provides a minimum vertical clearance of.... This structure is one of those on the listing of structures attached to EI-91-22 whose existing clearance can be retained as agreed by FHWA on December 12, 1991.

When a project results in reducing existing vertical clearance of bridge(s) listed, a justification as per EI 80-42 will be required. FHWA has stated it will not approve any vertical clearance less than 14 feet.

As part of the agreement with FHWA, this Department made a commitment to provide 16 ft. clearance on the 16 ft. clearance network referred to in the negotiations with FHWA as the substitute network and which is shown on the attached map. Accordingly, regardless of funding sources, no exceptions will be entertained to the 16 ft. clearance requirement for bridges over the routes shown on this map if the project involves:

1. bridge replacement or
2. bridge rehabilitation that requires deck removal

Exceptions will be sought in accordance with EI-80-42 for bridges with existing clearances less than 16 feet on the network (16 feet vertical clearance routes) that involve rehabilitation work that does not require deck removal.

This EI is not a change in policy and applies only to bridges on the attached listing and to those located on routes shown on the attached map. Existing rules relative to vertical clearance continue to apply to all other bridges on the Arterial System which do not appear on the attached listing or are located on the attached map.

List of Bridges Over the Thruway, I-190, and I-90 with Vertical Clearance Less Than 16 Feet that NYSDOT and FHWA have agreed to exempt from the 16 foot requirement by use of EI 91-22.

RC BIN	Feature Carried	Feature Crossed	Vertical Clearance Feet Inches	Thruway Milepoint
11 1015970	Rt. 20	87IX	14 06	0014685
11 1022440	Old Rt. 32	87IX	14 06	0013954
11 1025320	443 443 11022005	87IX	14 08	0014247
11 1033101	87I 87I11081000	90I	14 00	None
11 1033102	87I 87I11081000	90I	14 00	None
11 1047510	396 396 11011064	87IX	14 04	0813461
11 5513349	912MX	87IX	14 08	0080000
11 5513500	BEAVER DAM ROAD	87IX	14 02	0013542
11 5513520	CLAPPER ROAD	87IX	14 03	0013670
11 5513530	WEMPLE ROAD	87IX	14 02	0013804
11 5513580	NEW SCOTLAND AVE	87IX	14 02	0014431
11 5513600	RUSSELL RD CO 204	87IX	14 01	0014538
11 5513610	SCHOOLHOUSE ROAD	87IX	14 08	0014642
13 1018030	23A 23A13011324	87IX	15 04	0011001
13 1031060	81 81 13021199	87IX	14 02	0012221
13 1038060	144 144 13011008	87IX	14 02	0012756
13 1053550	9W 9W13041188	87IX	15 03	0012369
13 5513180	BRICK SCHOOLHOUSE	87IX	14 01	0010862
13 5513200	OLD KINGS HIGHWAY	87IX	15 03	0011257
13 5513220	CR 23B	87IX	14 07	0011364
13 5513230	NYSTA INT 21	87IX	14 03	0011389
13 5513290	NEW BALT SER RD	87IX	14 01	0012728
14 5513400	90I EB B-1 RAMP	87IX	14 07	0080659
14 5513410	WOODWARD ROAD	90IX	14 02	0080778
14 5513420	WOODWARD ROAD	90IX	14 00	0080777
14 5513430	BUNKER HILL ROAD	90IX	14 00	0080847
14 5513440	BUNKER HILL ROAD	90IX	14 00	0080846
14 5513460	90IX	87IX	14 06	0080658
16 1038760	159 159 16011115	90IX	14 02	0015923
16 5513710	PUTNAM RD	90IX	14 02	0015991
16 5513720	GORDON ROAD	90IX	14 00	0016104
16 5513760	PATSONVLE-RYNEXRD	90IX	14 02	0016703
16 7513690	D & H RAILROAD	90IX	14 04	0015893
23 1002380	5 5 23111027	90IX	14 02	0022820
23 1002770	5S 5S23021156	90IX	13 06	0021635
23 5516010	RIVER ROAD	90IX	15 01	0020661
23 5516080	CARDER LANE RD.	90IX	14 10	0022668
23 5516130	DYKE ROAD CR 37	90IX	14 05	0022992
23 5523320	PEDESTRIAN BRIDGE	90IX	15 01	0020990
24 1010590	13 13 24051330	90IX	14 04	0026173
24 5025670	46 46 24012024	90IX	14 02	0025709
24 5512730	KIRKVILLE ROAD	90IX	14 01	0027184
24 5512740	FYLER ROAD	90IX	14 02	0026937
24 5512750	LAKEPORT ROAD	90IX	14 02	0026789
24 5512770	GEE ROAD	90IX	14 03	0026599
24 5512780	INDIAN OPEN ROAD	90IX	14 04	0026303
24 5512790	NORTH MAIN STREET	90IX	14 05	0026201
24 5512800	NORTH COURT STREE	90IX	14 01	0026005
24 5512810	CANAL ROAD	90IX	14 03	0025790
24 5512830	THRUWAY RAMP AT34	90IX	14 01	0026150

List of Bridges Over the Thruway, I-190, and I-90 with Vertical Clearance Less Than 16 Feet that NYSDOT and FHWA have agreed to exempt from the 16 foot requirement by use of EI 91-22.

RC BIN	Feature Carried	Feature Crossed	Vertical Clearance Feet Inches	Thruway Milepoint
25 1021050	30 30 25042001	90IX	14 02	0017386
25 5515780	BULLS HEAD RD	90IX	14 04	0016970
25 5515790	PATTERSONVILLE RD	90IX	14 01	0017088
25 5515820	AMSTERDAM INTERCH	90IX	14 02	0017359
25 5515840	SNOOKS CORNERS RD	90IX	14 01	0017512
25 5515850	FORT HUNTER ROAD	90IX	14 05	0017747
25 5515890	FULTONVILLE INT.	90IX	14 05	0018217
25 5515940	CANAJOHARIE INTER	90IX	15 01	0019410
26 1018830	26 26 26051155	90IX	14 02	0024850
26 1042230	233 233 26011068	90IX	14 04	0024366
26 1042260	31 31 26011066	90IX	14 02	0025227
26 1046709	365 365 26011040	90IX	14 00	0025306
26 5512860	VERONA INTERCH	90IX	14 03	0025271
26 5512870	WESTMORELAND INT.	90IX	14 02	0024320
26 5512880	UTICA INTERCHANGE	90IX	14 03	0023285
26 5512890	RANDALL RD	90IX	14 03	0025640
26 5512900	SANDHILL RD	90IX	14 02	0025540
26 5512920	TILDEN HILL ROAD	90IX	14 03	0025090
26 5512940	W.MORELAND LOWELL	90IX	14 02	0024786
26 5512950	BARTLETT ROAD	90IX	14 05	0024525
26 5512970	CIDER ST. CO.RT23	90IX	14 03	0024279
26 5512980	JUDD ROAD	90IX	14 05	0024048
26 5513030	LELAND AVE	90IX	14 03	0023296
26 7708960	CONRAIL	90IX	14 01	0023501
31 1021810	31 31 31081014	90IX	14 02	0031105
31 1023360	34 34 31053077	90IX	14 02	0030392
31 1024300	38 38 31043067	90IX	15 02	0030797
31 1034450	90 90 31021476	90IX	14 00	0031216
31 5510310	THRUWY INT40 RAMP	90IX	14 01	0030419
31 5510330	CR13B OAKLAND RD	90IX	14 08	0030527
31 5510340	TOWNLINE ROAD	90IX	14 06	0030580
31 5510360	N MAIN ST	90IX	14 01	0030733
33 1008520	11 11 33033008	90IX	14 02	0028190
33 1026099	690I690I33014014	90IX	14 00	0028837
33 1031659	81I 81I33033012	90IX	14 05	0028271
33 1045210	298 298 33012038	90IX	14 04	0027837
33 1046870	370 370 33031136	90IX	14 01	0028636
33 1049830	LEMOYNE AVENUE	90IX	14 01	0028175
33 1073150	FR.RTE 48 TO 690I	90IX	14 06	0028840
33 2266610	BIKEWAY	90IX	14 07	0028268
33 5027410	CR57 OSWEGO ST	90IX	14 02	0028567
33 5039140	173 X	90IX	14 00	0029249
33 5313210	LAIRD ROAD	90IX	14 10	0029613
33 5510030	NORTH MANLIUS RD	90IX	14 05	0027329
33 5510050	CR54 MINOA-SHEPS	90IX	14 03	0027448
33 5510070	CR136 FREMONT RD	90IX	14 05	0027601
33 5510080	FLY ROAD	90IX	14 04	0027739
33 5510090	THRUWY INT35 RAMP	90IX	14 02	0027893

List of Bridges Over the Thruway, I-190, and I-90 with Vertical Clearance Less Than 16 Feet that NYSDOT and FHWA have agreed to exempt from the 16 foot requirement by use of EI 91-22.

RC BIN	Feature Carried	Feature Crossed	Vertical Clearance Feet Inches	Thruway Milepoint
33 5510100	THOMPSON ROAD	90IX	14 04	0027914
33 5510120	CR 70 TOWNLINE RD	90IX	14 00	0028031
33 5510140	THRUWY INT36 RAMP	90IX	14 02	0028293
33 5510150	CR48 BUCKLEY ROAD	90IX	14 02	0028304
33 5510160	THRUWY INT37 RAMP	90IX	14 02	0028379
33 5510190	CR47 MORGAN ROAD	90IX	14 01	0028522
33 5510200	THRUWY INT38 RAMP	90IX	14 04	0028595
33 5510240	VAN BUREN ROAD	90IX	14 02	0028963
33 5510250	CANTON STREET	90IX	13 11	0029206
33 5510260	BENNETTS CRNRS RD	90IX	14 01	0029452
35 1034320	89 89 35021339	90IX	14 03	0031596
35 1048150	414 414 35041334	90IX	14 01	0032015
35 5510400	CR101 GRAVEL ROAD	90IX	14 02	0031746
35 5510420	MID.BLACK BRK RD	90IX	14 02	0031857
35 5510430	BLACK BROOK RD	90IX	14 01	0031919
35 5510440	THRUWY INT41 RAMP	90IX	14 03	0032041
35 5510450	CR106 BIRDSEY RD	90IX	14 00	0032108
35 5510460	STONE CHURCH RD	90IX	14 03	0032192
35 5510470	CR107 WHISKEY HIL	90IX	14 00	0032314
35 5510480	CR108 NINE FOOT R	90IX	14 00	0032416
35 5510490	GRANGE HALL ROAD	90IX	14 04	0032479
41 1015250	19 19 41031122	90IX	14 02	0037889
41 1022980	33 33 41023024	90IX	14 05	0038624
41 1028730	63 63 41043011	90IX	14 01	0039176
41 1030080	77 77 41021098	90IX	14 00	0040128
41 1042340	237 237 41011030	90IX	14 02	0038378
41 5315350	INDIAN FALLS RD	90IX	14 02	0039767
41 5315400	SLUSSER RD CR 30	90IX	14 00	0039670
41 5315660	KELSEY ROAD	90IX	14 06	0039339
41 5315680	STATE STREET ROAD	90IX	14 06	0038973
41 5315690	BANK ST RD CR 13	90IX	14 05	0038873
41 5316050	WEST BERGEN RD	90IX	14 05	0038057
41 5516830	RAMP TO EXIT 48	90IX	14 00	0039013
41 5516920	RAMP TO EXIT 47	90IX	14 06	0037856
41 7707180	CONRAIL-PC RR	90IX	14 00	0038665
43 1011530	15 15 43031079	90IX	15 11	0036277
43 1023760	36 36 43031033	90IX	14 04	0037413
43 1028910	64 64 43021063	90IX	15 10	0035525
43 1028970	65 65 43031078	90IX	14 01	0035825
43 1043340	386 251 43011183	90IX	14 02	0036899

List of Bridges Over the Thruway, I-190, and I-90 with Vertical Clearance Less Than 16 Feet that NYSDOT and FHWA have agreed to exempt from the 16 foot requirement by use of EI 91-22.

RC BIN	Feature Carried	Feature Crossed	Vertical Clearance Feet Inches	Thruway Milepoint
43 5510600	THWY RAMP EXIT 46	90IX	14 03	0036244
43 5510830	BEULAH RD. CR 166	90IX	14 01	0037503
43 5510840	WINSLOW RD CR 188	90IX	14 00	0037241
43 5510850	WHEATLAND CTR RD	90IX	14 03	0037079
43 5510860	UNION STREET	90IX	14 01	0036985
43 5510870	MIDDLE ROAD	90IX	14 03	0036212
43 5510880	PINNACLE ROAD	90IX	14 05	0035979
43 5510890	BLOOMFIELD RD.	90IX	15 11	0035570
43 5510900	E RIVER RD C R 84	90IX	14 02	0036474
43 5510910	MILE SQ RD CR 70	90IX	14 02	0035411
44 1016470	Chapin-Palmyra	90IX	14 05	0033980
44 5510620	THWY RAMP EXIT 45	90IX	14 00	0035099
44 5510630	EXIT 44 RAMP	90IX	14 04	0034713
44 5510640	EXIT 43 RAMP	90IX	14 03	0034015
44 5510920	LOG CABIN ROAD	90IX	14 05	0035236
44 5510930	PUMPKIN HOOK ROAD	90IX	14 03	0034598
44 5510940	FARMINGTON RD CR8	90IX	14 03	0034501
44 5510950	BLACKSMITH COR RD	90IX	14 04	0034242
44 5510960	PORT GIBSON RD C7	90IX	14 02	0033747
44 5510970	KENDALL RD. CR 25	90IX	14 02	0033545
44 5510980	MARBLETOWN RD	90IX	14 03	0033115
44 5510990	MOTT ROAD	90IX	14 02	0033030
44 5511000	PORT GIBSON R CR7	90IX	14 02	0033748
52 1015410	20 20 52011355	90IX	14 02	0046074
52 1027890	60 60 52013254	90IX	14 01	0046816
52 1030020	76 76 52011191	90IX	14 03	0049316
52 1048430	COUNTY ROUTE 85	90IX	14 02	0045926
52 1050610	950D950D52011005	90IX	14 02	0049493
52 1050620	950D950D52011005	90IX	14 01	0049492
52 1090130	COUNTY ROUTE 81	90IX	14 03	0046711
52 5011990	394 17 52011004	90IX	14 03	0048543
52 5047170	COUNTY ROUTE 380	90IX	14 03	0047618
52 5090220	COUNTY ROUTE 380	90IX	14 02	0047617
52 5511130	WILEY ROAD	90IX	14 00	0049267
52 5511140	FORSYTHE ROAD	90IX	14 01	0048974
52 5511150	ROGERVILLE ROAD	90IX	14 04	0048839
52 5511170	WALKER ROAD	90IX	14 05	0048697
52 5511180	HAWLEY STREET	90IX	14 02	0048586
52 5511200	WESTFIELD EXIT RP	90IX	14 02	0048500
52 5511210	MCKINLEY ROAD	90IX	14 02	0048308
52 5511240	PRATT ROAD	90IX	14 07	0048133
52 5511250	PRATT ROAD	90IX	14 06	0048134
52 5511260	WALKER ROAD	90IX	14 00	0047915
52 5511280	WALKER ROAD	90IX	14 09	0047914

List of Bridges Over the Thruway, I-190, and I-90 with Vertical Clearance Less Than 16 Feet that NYSDOT and FHWA have agreed to exempt from the 16 foot requirement by use of EI 91-22.

RC	BIN	Feature Carried	Feature Crossed	Vertical Clearance Feet Inches	Thruway Milepoint
52	5511290	PECOR STREET	90IX	14 02	0047817
52	5511310	MATHEWS ROAD	90IX	14 04	0047755
52	5511360	NORTH ROAD	90IX	14 01	0047378
52	5511370	COUNTY ROUTE 74	90IX	14 02	0047266
52	5511380	COUNTY ROUTE 74	90IX	14 03	0047265
52	5511390	COUNTY ROUTE 78	90IX	14 03	0047175
52	5511400	CHESTNUT STREET	90IX	14 05	0047069
52	5511410	CHESTNUT STREET	90IX	14 05	0047070
52	5511420	TEMPLE STREET	90IX	14 02	0047033
52	5511430	BRIGHAM ROAD	90IX	14 02	0046983
52	5511440	FRED-DUNKIRK INTR	90IX	14 01	0046774
52	5511450	COUNTY ROUTE 80	90IX	14 06	0046613
52	5511470	NEWELL ROAD	90IX	14 05	0046538
52	5511490	COUNTY ROUTE 79	90IX	14 03	0046345
52	5511500	OBRIEN ROAD	90IX	14 04	0046282
52	5511530	COUNTY ROUTE 93	90IX	14 07	0045820
52	5511540	COUNTY ROUTE 95	90IX	14 06	0045653
52	5511550	SILVER CREEK INTR	90IX	14 06	0045554
52	7707640	CONRAIL RR	90IX	14 03	0046466
53	1001579	5 5 53023025	190IX	14 07	0090498
53	1022859	33 33 53012016	90IX	14 05	0042157
53	1023160	33B 33B53012017	90IX	14 02	0042210
53	1028230	62 62 53031234	90IX	14 03	0043485
53	1029910	75 75 53011182	90IX	14 01	0043665
53	1037620	130 130 53012016	90IX	15 02	0042364
53	103989C	Scaj. Exp. Ramp	190IX	14 07	0090869
53	1043940	266 266 53012008	90IX	14 05	0091155
53	1044340	277 277 53011197	90IX	14 06	0041989
53	1044960	290I290I53011002	190IX	14 03	0091336
53	1045720	S. MAIN ST CR 9B	90IX	14 03	0044917
53	1045770	957CX	190IX	14 02	0091967
53	1050660	951E951E53011006	90IX	14 04	0043403
53	1061120	249 249 53011020	90IX	14 02	0045177
53	1062961	219 219 53021255	90IX	14 06	0043043
53	1062999	Ridge Rd Interch.	90IX	15 00	0042947
53	1063090	190IX	190IX	14 06	0090582
53	1063100	190IX	190IX	14 02	0090589
53	1063110	190IX	190IX	14 07	0090681
53	5045780	LONG ROAD	190IX	14 02	0091932
53	5045800	324 324 53021055	190IX	14 02	0091546
53	5511640	CRITTENDEN ROAD	90IX	14 03	0040545
53	5511650	SOUTH NEWSTEAD RD	90IX	14 03	0040727
53	5511660	N MILLGROVE ROAD	90IX	14 05	0040944
53	5511670	RANSOM ROAD	90IX	14 00	0041160

List of Bridges Over the Thruway, I-190, and I-90 with Vertical Clearance Less Than 16 Feet that NYSDOT and FHWA have agreed to exempt from the 16 foot requirement by use of EI 91-22.

RC BIN	Feature Carried	Feature Crossed	Vertical Clearance Feet Inches	Thruway Milepoint
53 5511720	ROSSLER STREET	190IX	15 02	0090037
53 5511730	HENRY STREET	90IX	14 02	0042540
53 5511860	GUNVILLE ROAD	90IX	14 04	0041365
53 5511900	YOUNGS ROAD	90IX	14 02	0041835
53 5511950	FOREST ROAD	90IX	14 07	0042012
53 5511970	290I EB TO 90I EB	90IX	14 03	0042033
53 5511980	WEHRLE DR CR 290	90IX	14 00	0042035
53 5512000	CLEVELAND DRIVE	90IX	14 04	0042070
53 5512010	GEORGE URBAN BLVD	90IX	14 10	0042252
53 5512039	952Q952Q53011019	90IX	14 07	0042319
53 5512109	RT400 INTCH W 190	90IX	14 02	0042794
53 5512160	DEPEW INTERCHANGE	90IX	14 04	0041727
53 5512170	SOUTH OGDEN ST.	190IX	14 02	0090070
53 5512180	WEISS STREET	190IX	14 02	0090106
53 5512290	LOUISIANA STREET	190IX	14 06	0090413
53 5512310	HARDPAN RD. CR492	90IX	14 04	0045029
53 5512320	PONTIAC RD CR490	90IX	14 03	0044778
53 5512340	PEDESTRIAN WALK	90IX	14 09	0044710
53 5512350	PEDESTRIAN WALK	90IX	14 06	0044711
53 5512360	GOWANS RD CR.489	90IX	14 00	0044652
53 5512370	EVANS CTR-EDEN RD	90IX	14 02	0044550
53 5512390	STURGEON POINT RD	90IX	14 02	0044369
53 5512400	STURGEON POINT RD	90IX	14 02	0044368
53 5512420	NORTH CREEK ROAD	90IX	14 03	0044181
53 5512430	LAKEVIEW RD. CR65	90IX	14 06	0044076
53 5512440	LAKEVIEW RD. CR65	90IX	14 08	0044075
53 5512450	AMSDOLL RD CR 122	90IX	14 07	0043766
53 5512460	ACCESS RD. EXIT57	90IX	14 06	0043622
53 5512470	SOWLES RD. CR 162	90IX	14 04	0043560
53 5512500	ACCESS RD EXIT 56	90IX	14 06	0043245
53 5512510	LAKE AVE. CR 200	90IX	14 04	0043222
53 5512570	PORTER AV TO 190I	190IX	14 06	0090666
53 5512620	U.S. ARMY CORP.	190IX	14 03	0090905
53 5512680	DUPONT ACCESS RD	190IX	14 00	0091166
53 5512700	STALEY ROAD	190I	14 06	0091577
53 5512710	BASELINE RD	190IX	14 04	0091646
53 5512720	WHITEHAVEN ROAD	190IX	14 01	0091727
53 5516240	90I EB TO 190 NB	90IX	14 01	0042618
53 5516250	190I SB TO 90I EB	90IX	14 01	0042617
53 5516260	PEDESTRIAN BRIDGE	190IX	14 03	0091120
53 5516270	BEDELL ROAD	190IX	14 00	0091839
53 552015G	950EX	190IX	14 05	0090535
53 6048500	438 X	90IX	14 01	0045431

List of Bridges Over the Thruway, I-190, and I-90 with Vertical Clearance Less Than 16 Feet that NYSDOT and FHWA have agreed to exempt from the 16 foot requirement by use of EI 91-22.

RC BIN	Feature Carried	Feature Crossed	Vertical Clearance Feet Inches	Thruway Milepoint
53 6600030	5.MILE STRIP ROAD	90IX	14 01	0045346
53 7045820	PENN CENTRAL RR	190IX	13 09	0091354
53 7708440	CNRR & CITY ST	190IX	14 06	0090900
53 7714560	PENN CENTRAL RR	90IX	14 03	0042363
53 7714570	BALT OHIO RR	90IX	14 05	0043122
81 1016860	22 22 81061291	90IX	14 02	0082327
81 1029050	66 66 81011206	90IX	14 00	0081121
81 1045110	295 295 81011050	90IX	14 07	0081626
81 1050360	Rt 980D (Mass.)	90IX	14 04	0082409
81 5515230	SHAKER MUSEUM RD	90IX	14 05	0081172
81 5515240	ALBANY TURNPIKE	90IX	14 09	0081289
81 5515250	COUNTY ROAD 78	90IX	14 00	0081328
81 5515270	987G ACCESS ROAD	90IX	14 00	0081509
81 5515290	COUNTY ROAD 27	90IX	14 05	0081662
81 5515300	SAYRE HILL ROAD	90IX	14 04	0081826
81 5515340	RED ROCK RD CR 79	90IX	14 03	0082029
81 7713280	CONRAIL	90IX	14 02	0081604
83 1045270	300 300 83011038	87IX	14 02	0006383
83 5514370	EXIT/ENTRY RAMP17	87IX	14 03	0006010
83 5514380	MEADOW HILL ROAD	87IX	14 01	0006095
86 1019620	28 28 86012008	87IX	14 05	0009113
86 1022270	32 32 86021012	87IX	14 02	0006786
86 1022320	32 32 86021211	87IX	14 03	0008533
86 1022350	32 32 86023117	87IX	14 02	0010125
86 1045240	299 299 86011072	87IX	14 04	0007638
86 5515350	FREETOWN ROAD	87IX	14 00	0007068
86 5515370	OHIOVILLE ROAD	87IX	14 08	0007345
86 5515380	BROOKSIDE ROAD	87IX	14 03	0007417
86 5515390	THWY ACCESS RAMP	87IX	14 06	0007601
86 5515400	HORSENDEN ROAD	87IX	14 06	0007865
86 5515410	GRIST MILL ROAD	87IX	14 03	0008271
86 5515450	COUNTY ROAD 94	87IX	14 02	0008698
86 5515460	LUCAS TPK CR 50	87IX	14 02	0008928
86 5515510	THWY ACCESS RAMP	87IX	14 05	0009137
86 5515520	SAWKILL RD CR 42	87IX	14 03	0009188
86 5515540	L KATRINE RD CR90	87IX	14 03	0009527
86 5515550	RUBY ROAD	87IX	14 03	0009656
86 5515570	MT MARION RD CR34	87IX	14 03	0009807
86 5515580	PEOPLES ROAD	87IX	14 02	0010232
86 5515590	MALDEN RD CR 89	87IX	14 02	0010316
86 5515600	KATSBAAN ROAD	87IX	14 03	0010404
86 5515610	ASBURY ROAD	87IX	14 04	0010534