



TO:	 <h2 style="text-align: center;">ENGINEERING INSTRUCTION</h2> <p style="text-align: center;">NEW YORK STATE DEPARTMENT OF TRANSPORTATION</p>	
<p style="text-align: center;"><b>SUPERSEDED</b>  <b>BY EI 93-033</b>  <b>EFFECTIVE 2/24/94</b></p>		<p>SUBJECT: ITEM 18603.97XX - SMOOTH INTERIOR CORRUGATED POLYETHYLENE PIPE SPECIFICATION REVISIONS</p> <p>Subject Code: 7.27-1-603; 706-14</p>
Distribution: 30 Main Office 32 Regions 34 Specials		Code: EI-92-040
<p>APPROVED: </p> <p style="text-align: center;">P. T. Wells, Director, Construction Division</p>	<p>Date: 9/9/92</p> <p>Supersedes:</p>	

The BASIS OF ACCEPTANCES for Item 18603.97XX - Smooth Interior Corrugated Polyethylene Pipe and 706-14 Corrugated Polyethylene Storm Drain Pipe have been revised. These revisions will take effect for all pipe shipments received on all Department contracts on or after September 16, 1992.

The changes are:

Delete the Basis of Acceptance for Item 18603.97XX.

and,

Delete the Basis of Acceptance for 706-14 and replace with the following:

"BASIS OF ACCEPTANCE

- A. Smooth interior polyethylene pipe manufactured at facilities appearing on the Department's Approved List will be considered for acceptance in stock lot quantities in accordance with the procedural directives of the Materials Bureau.
- B. Corrugated interior polyethylene pipe will be accepted on the basis of the manufacturer's name appearing on the Departments Approved List and the manufacturer's certification of compliance with these requirements."

This Engineering Instruction eliminates the need for an Order on Contract for these minor changes, with no price adjustments or additional costs necessary. According to Section 104-03 B.4 in the Construction Supervision Manual, a copy of this Engineering Instruction placed in the project files will serve as documentation of these changes.