



TO: SUPERSEDED BY EB 20-038 EFFECTIVE 9/3/20	 ENGINEERING INSTRUCTION NEW YORK STATE DEPARTMENT OF TRANSPORTATION
	SUBJECT: Revision of Evidence of Acceptability for Elastomeric Gasket Used in the Joints of Concrete Pipe Subject Code: 7.42
Distribution: 30 Main Office 32 Regions G Special	Code: EI 93-010 Date: May 14, 1993 Supersedes:
APPROVED:  _____ W. J. Brule, Director, Materials Bureau	

Effective immediately, the following revisions are made to the "Manual for Uniform Record Keeping", (MURK), Part 2-A, "Materials Inspection Manual", (MIM), dated May, 1989.

Delete the following portions of the section for 706-01, Non-Reinforced Concrete Pipe:

Specification	Related Instructional Procedure	Evidence of Acceptability
706-01, Non-Reinforced Concrete Pipe	Materials Method NY 1.1	B. Elastomeric Gasket Material 1. Appearance of Manufacturer's name and trademark on Approved List 7.42-3-1, ELASTOMERIC GASKET MANUFACTURERS. 2. Appearance of Manufacturer's name or trademark on each gasket.

Please recognize that only the portions of 706-01 noted above are being deleted and that all other portions of the 706-01 entry, present in MIM dated May, 1989, are still in effect.

Add the following:

Specification	Related Instructional Procedure	Evidence of Acceptability
705-17, Concrete Pipe Joint Elastomeric Gaskets		1. A label either stenciled on the gasket, attached directly to the gasket, or attached to the packaging in which the gasket arrives at the project site stating that the gasket conforms to ASTM C443 or ASTM C361.