



<p>MODIFIED BY EI 00-029 EFFECTIVE 1/11/01</p> <p>SUPERSEDED BY EB 02-024 EFFECTIVE 7/11/02</p>		<p>New York State Department of Transportation</p> <p>ENGINEERING INSTRUCTION</p>	<p>EI 99-018</p>
<p>Title: STANDARD SPECIFICATIONS - PAVED GUTTERS</p>			
<p>Distribution:</p> <p><input checked="" type="checkbox"/> Manufacturers (18) <input checked="" type="checkbox"/> Surveyors (33)</p> <p><input checked="" type="checkbox"/> Main Office (30) <input checked="" type="checkbox"/> Consultants (34)</p> <p><input checked="" type="checkbox"/> Local Govt. (31) <input checked="" type="checkbox"/> Contractors(39)</p> <p><input checked="" type="checkbox"/> Regions/Agencies (32) <input type="checkbox"/> ()</p>		<p>Approved:</p> <p></p> <p>_____ P. J. Clark, Deputy Chief Engineer, Design</p> <p style="text-align: right;">6/4/99 Date</p>	

SUPERSEDED ISSUANCES

This Engineering Instruction (EI) does not supersede any previous issuances.

PURPOSE

This EI issues a shelf note which revises the method of measurement for Conventionally Formed or Machine Formed Concrete Gutters provided in Standard Specification Section 624-Paved Gutters. This modification accommodates the issuance of Standard Sheet M624-1R1 Concrete Gutter via EB 99-043.

In addition, this EI disapproves pay items for standard details which have been eliminated.

EFFECTIVE DATE

This EI shall be effective for all projects submitted for letting on or after January 13, 2000.

DISAPPROVED PAY ITEMS

The following items are disapproved because the standard details associated with these items were eliminated when Standard Sheet 609-2 was issued under EI 86-13.

- 624.0112 Conventionally Formed or Machine Formed Concrete Gutters Type D
- 624.0205 Asphalt Concrete Gutters Type E
- 624.0304 Precast Concrete Gutters Type D

The following items are disapproved because the standard details associated with these items have been eliminated from standard sheet M624-1.

- 624.0111 Conventionally Formed or Machine Formed Concrete Gutters Type C
- 624.0303 Precast Concrete Gutters Type C

CONTACT

Questions regarding this issuance should be addressed to Norman Schips of the Design Quality Assurance Bureau. He may be reached at 518-485-8611.

SECTION 624 - PAVED GUTTERS

Make the following *changes* to the Standard Specifications of January 2, 1995:

Page 6-111, Line 36, *add* the following to the end of the paragraph:

"No reduction in the number of square meters will be made to account for drainage structure frames and grates, or any other obstruction placed within the gutter section."