


MODIFIED BY EI 84-061 EFFECTIVE 1/10/85		ENGINEERING INSTRUCTION NEW YORK STATE DEPARTMENT OF TRANSPORTATION	
SUPERSEDED BY EI 95-041 EFFECTIVE 12/14/95		SUBJECT: REBUILDING NEW YORK WORK ZONE SIGN (NON-HIGHWAY PROJECTS)	
		Subject Code: 7.27-3-619	
Distribution: 31 Main Office 33 Regions Special		Code: <u>EI 84-28</u> Date: <u>5/21/84</u> Supersedes: <u>-</u>	
APPROVED:  R.H. EDWARDS, Deputy Chief Engineer, Fac. Design Div.			

Engineering Instruction 84-24, Rebuilding New York Zone Sign issued a specification for a special work zone sign and a policy regarding its use in work zones associated with non-Federally Aided highway oriented improvements. The signs to be installed bear the legend "WORK ZONE" in script; however, it has been decided that for non-highway work the international worker symbol should be used instead.

The attached specification 15619.9902, Rebuilding New York Work Zone Sign (Non-Highway Projects) has been developed for use on 100% State funded non-highway projects (eg. buildings, airports, etc.) by the appropriate divisions within the Office of Public Transportation starting with the 11-9-83 letting. The item will be inserted by the Final Plan Review Bureau into proposals whose estimate includes pay item 15619.9902.

Generally, these signs would be installed along the major approaches and at important vantage points to and of the non-highway construction, in accordance with criteria separately furnished to the affected divisions.

REBUILDING NEW YORK WORK ZONE SIGN
(NON-HIGHWAY PROJECTS)

Description. The Contractor shall furnish, install, maintain, remove and store the sign detailed herein, and its mounting at the locations shown in the Contract Documents or where directed by the Engineer.

Materials. The panel material may be of any material permitted under subsection 619-2.02 of the Standard Specifications. The sign support and mounting shall meet the requirements of subsection 619-3.02. Sheeting shall meet the specifications of subsection 730-05.01 (class A).

Construction Details. The sign detailed below shall be installed and maintained at locations indicated in the contract documents or where directed by the Engineer. The locations to be signed will include major pedestrian or vehicular approaches or vantage points from which the non-highway construction activity would be evident or can be viewed. Mounting height and details shall be such that the sign shall not interfere with the safe and convenient passage of pedestrian, bicycle or motor vehicle traffic.

Construction Signs. Upon completion of the contract or when directed by the Engineer the sign(s) shall be removed and stored at the locations directed and shall become the property of the State.


Signs damaged or otherwise unusable during the course of the contract shall be repaired or replaced promptly.

Method of Measurement. Rebuilding New York Work Zone Sign will be measured for payment as the number of signs furnished, installed, maintained (ie, repaired or replaced), removed and stored.

Basis of Payment. The unit price bid for each REBUILDING NEW YORK WORK ZONE SIGN shall include the cost of all labor, equipment, and materials necessary to perform the work including the repair or replacement of damaged or unusable signs. 70% of the price bid will be paid upon installation. The remainder is to be paid upon maintenance, removal, and storage.

A sign, installed at more than one location on the Contract, shall be eligible for payment only once.

Sign Detail for use on NON-FEDERAL AID PROJECTS
(NON HIGHWAY PROJECTS)



Color: Black Legend on Orange Background